

Panel Meters & AC Meter

AC Ammeter



Model: CY-96 CY72 CY-48 AC Ammeter

Class: 1.5

Specification: 0.1A 0.5A 1A 1.5A 3A 5A 7.5A 10A 15A 20A 25A 30A 50A
75-105A (use Ext.CT5A)

Note: for 60/75/100A direct meter, the class is 2.5.

Advantage: The scale can be easily changed without opening the front frame so that the class will not be influenced.

AC Voltmeter



Model: CY-96 CY-72 CY-48 AC Voltmeter

Class: 1.5

Specs: 30V 50V 75V 100V 120V 150V 250V 300V 450V 600V For 450-380KA,
should be used with potential transformer secondary voltage 100V.

DC Ammeter



Model: CY-96 CY-72 CY-48 DC Ammeter

Class: 1.5

Specs: 25Ua 50KA 1mA 3mA 5mA 10mA 20mA 30mA 50mA 75mA 100mA
150mA 200mA

250mA 300mA 500mA 1A 3A 5A 7.5A 10A 20A 30A 50A 75-105A (used with
Shunt)

Feature: The scale can be easily changed without opening the front frame so
that the class will not be influenced.

DC Voltmeter



DC Voltmeter

Model: CY-96 CY-72 CY-48 DC Voltmeter

Class: 1.5

Specs: 3V 5V 7.5V 10V 15V 20V 50V 75V 100V 120V 150V 200V 250V 300V
400V 450V

600V

Note: Over 600V should be used with Ext. Resistor. (Rated Current 5mA).

AC Ammeter



Model: CY-96 CY-72 AC Ammeter

These meters can measure the other non-electric values for example, temperature, special and so on.

Frequency Meter



Frequency Meter

Pointer Type

Model: CY-96 CY-72 CY-48

Class: 1.5

Volt: 50V 100V 220V 380V

Frequency: 44-55Hz 45-66Hz 55-65Hz 47-53Hz 57-63Hz 44-56Hz 54-66Hz

450-550Hz
550-630Hz.

Other Panel Meters:

